IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

HANSSON et al

Serial No.

09/900,471

Filed:

July 9, 2001

OCT 1 9 2001 (%)

Atty. Ref.:

2380-205

Group:

2664

Examiner:

unknown

For:

INTERNET PROTOCOL HANDLER FOR

TELECOMMUNICATIONS PLATFORM WITH

PROCESSOR CLUSTER

RECEIVED

OCT 23 2001

Assistant Commissioner for Patents Washington, DC 20231

Technology Center 2600

Sir:

INFORMATION DISCLOSURE STATEMENT

As suggested by 37 C.F.R. 1.97, the undersigned attorney brings to the attention of the Patent and Trademark Office the references listed on the attached form PTO-1449, a copy of each of which is enclosed.

Official citation and consideration of all the attached documents is requested. Please return to the undersigned a copy of the attached PTO-1449 with the examiner's initials in the left column [MPEP §609] with the next communication.

The filing of an Information Disclosure Statement shall not be construed as a representation that a search has been made [37 C.F.R. § 1.97(g)], an admission that the information cited is, or is considered to be, material to patentability or that no other material information exists. Further, the filing of an Information Disclosure Statement shall not be construed as an admission against interest in any manner [Commissioner's Notice of January 9, 1992, 1135 O.G. 12-25 at 25].

Respectfully submitted,

NIXON & VANDERHYE P.C.

October 19, 2001

HWB:lsh

1100 North Glebe Road, 8th Floor

Arlington, VA 22201-4714 Telephone: (703) 816-4000

Facsimile: (703) 816-4100

Ву

H. Warren Burna

Reg. No. 29,366

copy of this form with next communication to application.

SERIAL NO. ATTY, DOCKET NO. INFORMATION DISCLOSURE CITATION 09/900,471 RECEIVED 2380-205 **APPLICANT** OCT 23 2001 HANSSON et al (Use several sheets FILING DATE GROUP if necessary) Technology Center 2600 July 9, 2001 2664 U.S. PATENT DOCUMENTS FILING DATE *EXAMINER **DOCUMENT NUMBER** CLASS SUBCLASS IF APPROPRIATE INITIAL DATE NAME Petersen 5,467,347 11-1995 5,497,504 3-1996 Acampora et al. 6-1996 Andersson et al. 5,530,917 5,724,348 3-1998 Basso et al. 5,499,239 3-1996 Munter 5.570.362 10-1996 Nishimura 5,568,479 10-1996 Watanabe et al. 5,740,156 4-1998 Tanabe et al. 10-1997 Robrock, II 5,680,390 4.891.802 1-1990 Jasmer et al. 5,623,493 4/1997 Kagemoto 11-1994 Petersen 5,361,257 **FOREIGN PATENT DOCUMENTS** TRANSLATION COUNTRY CLASS **SUBCLASS** YES **DOCUMENT** DATE NO WO 95/20865 8-1995 WO 95/15665 6-1995 WO 95/08898 3-1995 11-1997 WO 97/41698 0 800 324 A2 10-1997 EP EP 0 405 042 A1 1-1991 95/30318 11-1995 WO OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.) Cheung, et al, "Network Configurations for Seamless Support of CDMA Soft Handoffs Between Cell-Clusters". Dept. of Electrical Engineering, The University of British Columbia, 0-7803-3300-4/96 @1996, pgs 295-299 Jones, et al., IS-634 revision A - part 1 (IS-634.1 rev A) (PN-3539) 2nd Ballot Version - Draft for V&V, Part 1 -Common Protocol and Part 5 - Protocol Details, 27 October 1997 Digital Cellular Telecommunications System (Phase 2+); Mobile Application Part (MAP) Specification (GSM 09.02 version 5.8.0)", European Telecommunications Standard Institute; Draft pr ETS 300 974, February 1998 'Cellular Radiotelecommunications Intersystem Operations", ANSI-41-D (Former (TIA/EIA IS-41-C), pgs. 2-5 -2-14, 2-25 - 2-30 Mauger et al, "QoS Guarantees for Multimedia Services on a TDMA-Based Satellite Network", IEEE Communications Magazine, July 1997, pgs. 60-65 Uyless Black, "Emerging Communications Technologies", Second Edition, Prentice Hall Series in Advanced Communications Technologies, 1997, pgs. 215-219 **Date Considered** *Examiner Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include

548738

Form PTO-FB-A820 (Also PTO-1449)

INFORMATION DISCLOSURE ATTY, DOCKET NO. 09/900 471 Center 2600 CITATION 2380-205 OCT 1 9 2001 **APPLICANT** HANSSON et al (Use several sheets processary) **FILING DATE** GROUP July 9, 2001 2664 U.S. PATENT DOCUMENTS FILING DATE *EXAMINER SUBCLASS IF APPROPRIATE INITIAL DOCUMENT NUMBER DATE NAME 5,661,722 8-1997 Miyagi 5.600.632 2-1997 Schulman 5.563.874 10-1996 Kant 5,640,512 6-1997 Czerwiec 5,724,354 3-1998 Tremel et al. VanDervort 5.764.626 6-1998 5,440,547 8-1998 Easki et al. 4-1994 5,303,232 Proctor et al. 5,432,777 7-1998 Le Boudec et al. 5,579,480 11-1996 Cidon et al. 5,737,334 4-1998 Prince et al. 4-1996 Sandquist 5.506.841 FOREIGN PATENT DOCUMENTS TRANSLATION COUNTRY YES DOCUMENT DATE CLASS SUBCLASS NO WO partial 97/33406 12-1997 3-1998 EP 0 827 305 A1 WO 93/19559 9-1993 96/34478 10-1996 WO OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.) DOI et al, "A High-Speed ATM Switch Architecture for FTTH - An ATM Switch Architecture with Input and Cross-Point Buffers", ISS '95, World Telecommunications Congress (International Switching Symposium), Advanced Switching Technologies for Universal Telecommunications at the Beginning of the 21st Century, Berlin, April 23-28, 1995, vol. 1, no. SYMP 15, 23 April 1995, pgs. 384-388 Weller et al., "Scheduling Nonuniform Traffic in a Packet Switching System with Small Propagation Delay", Proceedings of the Conference on Computer Communications (INFOCOM), Toronto, June 12-16, 1994, vol. 3, 12 June 1994, pgs. 1344-1351 Eneroth et al, "ATM Transport in Cellular Networks", Iss '97, World Telecommunications Congress (International Switching Symposium), Global Network Evolution: Convergence or Collision? Toronto, Sept. 21-26, 1997, vol. 2, 21 September 1997, pgs. 139-146 Saito et al, "Layered Cell Structure for ATM Networks", 1996 IEEE International Conference on Communications (ICC), Converging Technologies for Tomorrow's Applications, Dallas, June 23-27, 1996, vol. 3, 23 June 1996, pgs. 1254-1257 McTiffin et al, "Mobile Access to an ATM Network Using a CDMA Air Interface", IEEE Journal on Selected Areas in Communications, vol. 12, no. 5, 1 June 1994, pgs. 900-908 Baldwin et al, "AAL-2 - A new ATM Adaptation Layer for Small Packet Encapsulation and Multiplexing", Bell Labs Technical Journal, vol. 2, no. 2, 21 March 1997, pgs. 111-131 **Date Considered** *Examiner

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)

	MATION DISCLOSURE	AIIY.1	ATTY, DOCKET NO.		RECEIVED		
	CITATION		2380-205		OCT 2 3 2001		
	line a	APPLIC	CANT		OCT 2	3 5001	
	raos e r roa		SSON et al	GROUP	1 - 41	Center 2600	
(Use several sheets if necessary)		o FILING	FILING DATE		Technology Center 2600		
	TRADEMA	July 9	9, 2001	2664			
			J.S. PATENT DOCUMENTS				
AMINER IITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATI	
	4,692,917	9-1987	Fujioka				
	4,973,956	11-1990	Lin et al.				
	5,038,343	8-1991	Lebizay et al.				
	5,079,762	1-1992	Tanabe				
	5,126,999	6-1992	Munter et al.				
	5,128,931	7-1992	Yamanaka et al.				
	5,140,582	8-1992	Tsuboi et al.	.			
	5,144,293	9-1992	Rouse				
	5,150,358	9-1992	Punj et al.				
		FC	PREIGN PATENT DOCUMENTS				
						TRANSLATIO	
	DOCUMENT	DATE	COUNTRY	CLASS	SUBCLASS	YES NO	
	0 441 257 A2	8-1991	EP				
	0 778 719 A2	6-1997	EP				
			including Author, Title, Date, Poly Switching Systems for B-ISDN",			Oct. 1991, pp	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172	e-Scale ATN Iodular Tera	A Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Jo	IEEE Journal, vournal, vournal, vol. 9, no	vol. 9, no. 8, o. 8, Oct. 199	91, pp. 1161-	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec	e-Scale ATM lodular Tera ture, Perfor	A Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Jornance, and Implementation of the	IEEE Journal, vournal, vournal, vol. 9, no	vol. 9, no. 8, o. 8, Oct. 199	91, pp. 1161-	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting	e-Scale ATM lodular Tera ture, Perfor no. 8, Oct. 1 g Network:	A Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Jornance, and Implementation of the	IEEE Journal, vournal, vournal, vol. 9, no	vol. 9, no. 8, o. 8, Oct. 199 an Fast Pac	91, pp. 1161- ket Switch"	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1	e-Scale ATM lodular Tera ture, Perfor no. 8, Oct. 1 g Network: 1194-1204	A Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journance, and Implementation of the 991, pp. 1173-1193 A High-Performance Self-Routing	IEEE Journal, vol. 9, no e Tandem Bany g Switch for B-IS	vol. 9, no. 8, b. 8, Oct. 199 an Fast Pac SDN", IEEE J	91, pp. 1161- ket Switch" lournal, vol. 9	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1 Yang et al., "A Recont vol. 9, no. 8, Oct. 199	e-Scale ATM lodular Tera ture, Perfor no. 8, Oct. 1 g Network: 1194-1204 figurable AT 1, pp. 1205	M Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journance, and Implementation of the 991, pp. 1173-1193 A High-Performance Self-Routing M Switch Fabric for Fault Tolerar	Durnal, vol. 9, note Tandem Bany Switch for B-IS Tande and Traffic E	vol. 9, no. 8, o. 8, Oct. 199 an Fast Pack SDN", IEEE J Balancing", IE	91, pp. 1161- ket Switch" Journal, vol. 9 EEE Journal,	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1 Yang et al., "A Recont vol. 9, no. 8, Oct. 1991 Itoh, "A Fault-Tolerant	e-Scale ATM lodular Tera ture, Perfor no. 8, Oct. 1 g Network: 1194-1204 figurable AT 1, pp. 1205- Switching	M Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journance, and Implementation of the 991, pp. 1173-1193 A High-Performance Self-Routing M Switch Fabric for Fault Tolerar 1217 Network for B-IDSN", IEEE Journal	Durnal, vol. 9, no e Tandem Bany Switch for B-IS nce and Traffic E al, vol. 9, no. 8,	vol. 9, no. 8, o. 8, Oct. 199 ran Fast Pack BDN", IEEE J Balancing", IE	91, pp. 1161- ket Switch" lournal, vol. 9 EEE Journal, p. 1218-1226	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1 Yang et al., "A Recont vol. 9, no. 8, Oct. 1991 Itoh, "A Fault-Tolerant Banwell et al., "Physic Oct. 1991, pp. 1227-1	e-Scale ATM lodular Tera ture, Perfor no. 8, Oct. 1 g Network: 1194-1204 figurable AT 1, pp. 1205 Switching al Design Is 238	M Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journance, and Implementation of the 991, pp. 1173-1193 A High-Performance Self-Routing M Switch Fabric for Fault Tolerar 1217 Network for B-IDSN", IEEE Journances for Very Large ATM Switch	Durnal, vol. 9, note Tandem Bany Switch for B-IS Tance and Traffic Eal, vol. 9, no. 8, ing Systems", IE	vol. 9, no. 8, o. 8, Oct. 199 an Fast Pac SDN", IEEE J Balancing", IE Oct. 1991, p	et Switch" lournal, vol. 9 EEE Journal, p. 1218-1226 vol. 9, no. 8,	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1 Yang et al., "A Recont vol. 9, no. 8, Oct. 1991 Itoh, "A Fault-Tolerant Banwell et al., "Physic Oct. 1991, pp. 1227-1 Kozaki et al, "32X32 S	e-Scale ATM lodular Tera ture, Perfor no. 8, Oct. 1 g Network: 1194-1204 figurable AT 1, pp. 1205 Switching al Design Is 238	M Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journance, and Implementation of the 991, pp. 1173-1193 A High-Performance Self-Routing M Switch Fabric for Fault Tolerar 1217 Network for B-IDSN", IEEE Journal	Durnal, vol. 9, note Tandem Bany Switch for B-IS Tance and Traffic Eal, vol. 9, no. 8, ing Systems", IE	vol. 9, no. 8, o. 8, Oct. 199 an Fast Pac SDN", IEEE J Balancing", IE Oct. 1991, p	et Switch" lournal, vol. 9 EEE Journal, p. 1218-1226 vol. 9, no. 8,	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1 Yang et al., "A Recont vol. 9, no. 8, Oct. 1991 Itoh, "A Fault-Tolerant Banwell et al., "Physic Oct. 1991, pp. 1227-1 Kozaki et al, "32X32 S 1991, pp. 1239-1247	e-Scale ATM lodular Tera ture, Perfor no. 8, Oct. 1 g Network: 194-1204 figurable AT 1, pp. 1205 Switching cal Design Is 238 Shared Buffe	A Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journance, and Implementation of the 991, pp. 1173-1193 A High-Performance Self-Routing M Switch Fabric for Fault Tolerar 1217 Network for B-IDSN", IEEE Journal Saues for Very Large ATM Switch er Type ATM Switch VLSI's for B-	Durnal, vol. 9, note Tandem Bany Switch for B-IS note and Traffic Eal, vol. 9, no. 8, ing Systems", IEEE J	vol. 9, no. 8, b. 8, Oct. 199 an Fast Pack SDN", IEEE J Balancing", IE Oct. 1991, p EEE Journal,	91, pp. 1161- ket Switch" lournal, vol. 9 EEE Journal, p. 1218-1226 vol. 9, no. 8,	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1 Yang et al., "A Recont vol. 9, no. 8, Oct. 1991 Itoh, "A Fault-Tolerant Banwell et al., "Physic Oct. 1991, pp. 1227-1 Kozaki et al, "32X32 S 1991, pp. 1239-1247 Shobatake et al, "A Ol Journal, vol. 9, no. 8, 6	odular Tera ture, Perfor no. 8, Oct. 1 g Network: 194-1204 figurable AT 1, pp. 1205- Switching Is 238 Shared Buffor ne-Chip Scooct. 1991, p	M Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journal of the 1991, pp. 1173-1193 A High-Performance Self-Routing of M Switch Fabric for Fault Tolerar 1217 Network for B-IDSN", IEEE Journal of the 1991 of	Durnal, vol. 9, note Tandem Bany Switch for B-IS Tance and Traffic Eal, vol. 9, no. 8, ing Systems", IE TSDN's", IEEE Joying Shared B	vol. 9, no. 8, b. 8, Oct. 199 can Fast Pack BDN", IEEE J Balancing", IE Oct. 1991, p EEE Journal, Journal, vol. 9	eture", IEEE	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1 Yang et al., "A Recont vol. 9, no. 8, Oct. 1991 Itoh, "A Fault-Tolerant Banwell et al., "Physic Oct. 1991, pp. 1227-1 Kozaki et al, "32X32 S 1991, pp. 1239-1247 Shobatake et al, "A Oct. 1991, po. 8, Oct. 1991, po. 8, Oct. 1991, po. 1239-1247	odular Tera ture, Perfor no. 8, Oct. 1 g Network: 194-1204 figurable AT 1, pp. 1205- Switching Is 238 Shared Buffor ne-Chip Scooct. 1991, p	M Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journal of the 1991, pp. 1173-1193 A High-Performance Self-Routing of M Switch Fabric for Fault Tolerar 1217 Network for B-IDSN", IEEE Journal of the 1991 of	Durnal, vol. 9, note Tandem Bany Switch for B-IS Tance and Traffic Eal, vol. 9, no. 8, ing Systems", IE TSDN's", IEEE Joying Shared B	vol. 9, no. 8, b. 8, Oct. 199 can Fast Pack BDN", IEEE J Balancing", IE Oct. 1991, p EEE Journal, Journal, vol. 9	eture", IEEE	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1 Yang et al., "A Recont vol. 9, no. 8, Oct. 1991 Itoh, "A Fault-Tolerant Banwell et al., "Physic Oct. 1991, pp. 1227-1 Kozaki et al, "32X32 S 1991, pp. 1239-1247 Shobatake et al, "A Or Journal, vol. 9, no. 8, 0 Banniza et al, "Design 1991, pp. 1255-1264	e-Scale ATM lodular Tera ture, Perfor no. 8, Oct. 1 g Network: 1194-1204 figurable AT 1, pp. 1205 Switching eal Design Is 238 Shared Buffor ne-Chip Sca Oct. 1991, p	A Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journance, and Implementation of the 991, pp. 1173-1193 A High-Performance Self-Routing M Switch Fabric for Fault Tolerar 1217 Network for B-IDSN", IEEE Journances for Very Large ATM Switch er Type ATM Switch VLSI's for Balable 8 * 8 ATM Switch LSI Emplop. 1248-1254 Hology Aspects of VSLI's for ATM	Durnal, vol. 9, note Tandem Bany G Switch for B-IS Tandem Bany G Switch for B-IS Tance and Traffic Bal, vol. 9, no. 8, Tance Systems", IE Tance Switches", IEEE Jance Bal	vol. 9, no. 8, o. 8, Oct. 199 can Fast Pace SDN", IEEE J Balancing", IE Oct. 1991, p EEE Journal, Journal, vol. 9 uffer Archited	eture", IEEE	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1 Yang et al., "A Recont vol. 9, no. 8, Oct. 1991 Itoh, "A Fault-Tolerant Banwell et al., "Physic Oct. 1991, pp. 1227-1 Kozaki et al, "32X32 S 1991, pp. 1239-1247 Shobatake et al, "A Oct. Journal, vol. 9, no. 8, Oct. 1991, pp. 1239-1247 Shobatake et al, "Design 1991, pp. 1255-1264 Katevenis et al, "Weig	ture, Performo. 8, Oct. 1 g Network: 194-1204 figurable AT 1, pp. 1205 Switching al Design Is 238 Shared Buffe ne-Chip Sca Oct. 1991, p and Techn	M Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journance, and Implementation of the 991, pp. 1173-1193 A High-Performance Self-Routing M Switch Fabric for Fault Tolerar 1217 Network for B-IDSN", IEEE Journa 1217 Network for B-IDSN", IEEE Journa 1217 Network for B-IDSN", IEEE Journa 1218 Ber Type ATM Switch VLSI's for B-1218 Alable 8 * 8 ATM Switch LSI Employ. 1248-1254 Bology Aspects of VSLI's for ATM 1218 Cology Aspects of VSLI's for ATM 1218 Cology Aspects of VSLI's for ATM 1218 A Bology Aspects of VSLI's for ATM 1218 Cology Aspe	Durnal, vol. 9, note Tandem Bany G Switch for B-IS Tandem Bany G Switch for B-IS Tance and Traffic Bal, vol. 9, no. 8, Tance Systems", IE Tance Switches", IEEE Jance Bal	vol. 9, no. 8, o. 8, Oct. 199 can Fast Pace SDN", IEEE J Balancing", IE Oct. 1991, p EEE Journal, Journal, vol. 9 uffer Archited	eture", IEEE	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1 Yang et al., "A Recont vol. 9, no. 8, Oct. 1991 Itoh, "A Fault-Tolerant Banwell et al., "Physic Oct. 1991, pp. 1227-1 Kozaki et al, "32X32 S 1991, pp. 1239-1247 Shobatake et al, "A Oct. Journal, vol. 9, no. 8, General Residual	e-Scale ATM lodular Tera ture, Perfor no. 8, Oct. 1 g Network: 194-1204 figurable AT 1, pp. 1205 Switching cal Design Is 238 Shared Buffor ne-Chip Sca Oct. 1991, p	A Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journance, and Implementation of the 1991, pp. 1173-1193 A High-Performance Self-Routing M Switch Fabric for Fault Tolerar 1217 Network for B-IDSN", IEEE Journances for Very Large ATM Switch Part Type ATM Switch VLSI's for B-1248-1254 Helpology Aspects of VSLI's for ATM Systems of Cell Multiplexing in a Gentup. 1265-1279	Durnal, vol. 9, note Tandem Bany G Switch for B-IS Cal, vol. 9, no. 8, ing Systems", IEEE J Coying Shared B Switches", IEEE J Ceral-Purpose A	vol. 9, no. 8, b. 8, Oct. 199 an Fast Pack SDN", IEEE J Balancing", IE Oct. 1991, p EEE Journal, Journal, vol. 9 uffer Architect Journal, vol.	et Switch" Journal, vol. 9 EEE Journal, p. 1218-1226 vol. 9, no. 8, oct. cture", IEEE l. 9, no. 8, Oct.	
	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1 Yang et al., "A Recont vol. 9, no. 8, Oct. 1991 Itoh, "A Fault-Tolerant Banwell et al., "Physic Oct. 1991, pp. 1227-1 Kozaki et al, "32X32 S 1991, pp. 1239-1247 Shobatake et al, "A Oct. Journal, vol. 9, no. 8, General Residual	ture, Performo. 8, Oct. 19 Network: 194-1204 figurable AT 1, pp. 1205-238 Shared Bufforme-Chip Scand Technoct. 1991, poplementation	A Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journace, and Implementation of the 991, pp. 1173-1193 A High-Performance Self-Routing TM Switch Fabric for Fault Tolerar 1217 Network for B-IDSN", IEEE Journaces for Very Large ATM Switch Per Type ATM Switch VLSI's for B-1248-1254 Included B * 8 ATM Switch LSI Employ. 1248-1254 Included B ATM Switch VLSI's for ATM Colony Aspects of VSLI's for ATM Colony Balable 8 ATM Switch LSI Employ. 1265-1279 In and Packaging Technologies for ATM Colony Balable 8 ATM Switch LSI Employ. 1265-1279 In and Packaging Technologies for ATM Colony Balable 8 ATM Switch LSI Employ. 1265-1279 In and Packaging Technologies for ATM Colony Balable 8 ATM Switch LSI Employ. 1265-1279 In and Packaging Technologies for ATM Colony Balable 8 ATM Switch LSI Employ. 1265-1279 In an and Packaging Technologies for ATM Switch LSI Employ. 1265-1279	Durnal, vol. 9, note Tandem Bany G Switch for B-IS Cal, vol. 9, no. 8, ing Systems", IEEE J Coying Shared B Switches", IEEE J Ceral-Purpose A	vol. 9, no. 8, b. 8, Oct. 199 an Fast Pack SDN", IEEE J Balancing", IE Oct. 1991, p EEE Journal, Journal, vol. 9 uffer Architect Journal, vol.	et Switch" Journal, vol. 9 EEE Journal, p. 1218-1226 vol. 9, no. 8, oct. cture", IEEE l. 9, no. 8, Oct.	
aminer	Stephens et al, "Large 1157-1160 Chao, "A Recursive M 1172 Tobagi et al, "Architec IEEE Journal, vol. 9, r Urushidani, "Rerouting no. 8, Oct. 1991, pp. 1 Yang et al., "A Recont vol. 9, no. 8, Oct. 1991 Itoh, "A Fault-Tolerant Banwell et al., "Physic Oct. 1991, pp. 1227-1 Kozaki et al, "32X32 S 1991, pp. 1239-1247 Shobatake et al, "A Or Journal, vol. 9, no. 8, G Banniza et al, "Design 1991, pp. 1255-1264 Katevenis et al, "Weig Journal, vol. 9, no. 8, G Itoh et al, "Practical Im	ture, Performo. 8, Oct. 19 Network: 194-1204 figurable AT 1, pp. 1205-238 Shared Bufforme-Chip Scand Technoct. 1991, poplementation	A Switching Systems for B-ISDN", abit/Second ATM Switch", IEEE Journace, and Implementation of the 991, pp. 1173-1193 A High-Performance Self-Routing TM Switch Fabric for Fault Tolerar 1217 Network for B-IDSN", IEEE Journaces for Very Large ATM Switch Per Type ATM Switch VLSI's for B-1248-1254 Included B * 8 ATM Switch LSI Employ. 1248-1254 Included B ATM Switch VLSI's for ATM Colony Aspects of VSLI's for ATM Colony Balable 8 ATM Switch LSI Employ. 1265-1279 In and Packaging Technologies for ATM Colony Balable 8 ATM Switch LSI Employ. 1265-1279 In and Packaging Technologies for ATM Colony Balable 8 ATM Switch LSI Employ. 1265-1279 In and Packaging Technologies for ATM Colony Balable 8 ATM Switch LSI Employ. 1265-1279 In and Packaging Technologies for ATM Colony Balable 8 ATM Switch LSI Employ. 1265-1279 In an and Packaging Technologies for ATM Switch LSI Employ. 1265-1279	Durnal, vol. 9, note Tandem Bany Switch for B-IS Tance and Traffic Eal, vol. 9, no. 8, ing Systems", IEEE Soying Shared B Switches", IEEE Teral-Purpose A Tor a Large-Scale	vol. 9, no. 8, b. 8, Oct. 199 an Fast Pack SDN", IEEE J Balancing", IE Oct. 1991, p EEE Journal, Journal, vol. 9 uffer Architect Journal, vol.	et Switch" Journal, vol. 9 EEE Journal, p. 1218-1226 vol. 9, no. 8, oct. cture", IEEE l. 9, no. 8, Oct.	

		_		SERIA		RE	·O~		
INFOR	INFORMATION DISCLOSPRE ATTY. DOCKET NO.					RECEIVED OCT 2 3 2001 Technology Center 2600			
	CITATION O	**2380-20		09/90	00,471	0C7	22		
	9 1 200	2001 APPLICAN				Technol	7001		
OCT 1 9 2001 APPLICANT			ON et al			Center 200			
(U	se several sheets if hedessary)	FILING DAT	E	GROU					
	& TRA	July 9, 2	2001	2664					
		U.S.	PATENT DOCUMENTS						
*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME		CLASS	SUBCLASS	FILING DATE IF APPROPRIATE		
	5,963,564	10-1999	Petersen et al.						
	5,946,309	8-1999	Westberg et al.						
			<u>Y</u>						
			-						
			· · · · · · · · · · · · · · · · · · ·						
		<u> </u>					-		
		FORE	IGN PATENT DOCUMENTS						
							TRANSLATION		
	DOCUMENT	DATE	COUNTRY		CLASS	SUBCLASS	YES NO		
	2 303 521 A	2-1997	GB	<u> </u>					
	00/36872 A1	6-2000	WO						
- · · - · · · · · · · · · · · · · · · ·	99/45736 A1	9-1999	WO						
	00/49775 A1	8-2000	WO						
	99/33320 A2	7-1999	WO						
	99/33231 A1	7-1999	WO						
	99/33314 A1	7-1999	WO						
			luding Author, Title, Date, Pe	ertinent	pages.	etc.)			
		•	Performance Self-Routing Broa		<u> </u>		ecture". IEEE		
	Journal, vol. 9, no. 8,								
	Fischer et al, "A Scala	able ATM Switc	hing System Architecture", IEE	EE Jourr	nal, vol. 9	, no. 8, Oct	. 1991, pp.		
ļ	1299-1307								
	Matsunaga et al, "A 1.5 Gb/s 8X8 Cross-Connect Switch Using a Time Reservation Algorithm" IEEE Journal vol. 9, no. 8, Oct. 1991, pp. 1308-1317 Schroeder et al, "Autonet: A High-Speed, Self-Configuring Local Area Network Using Point-to-Point Links", IEEE Journal, vol. 9, no. 8, Oct. 1991, pp. 1318-1335 Stavrakakis, "Efficient Modeling of Merging and Splitting Processes in Large Networking Structures", IEEE								
	Journal, vol. 9, no. 8,			10 ::		<u> </u>			
			Based on Memory Switches a	and Option	cal Star (Jouplers", II	=EE Journal,		
	vol. 9, no. 8, Oct. 199		of-Gates Implementation of th	ne Tande	em Bany	an Fast Pac	ket Switch"		
			ed Circuits Conference, New Y						
			auger et al, XVI World Telecom						
	(pp. 207-214)								
		•							
	- 					· · · · · ·			
*Examiner	_		Date Considere	ed T	· · · · · · ·				
	if reference considered whether	r not citation is in co-	formance with MPEP 609; Draw line throug		not in confo	rmance and not	considered Include		
	with next communication to applic		TOTAL CONTRACT OF THE PROPERTY	yı ı GıtatıQII II	HOLIH COHO	mance and not	Jonaidered. Include		
-						Form PTO-FB-	A820 (Also PTO-1449)		